


IN THE CLAIMS:

Please amend the claims as follows. No new matter is introduced.

1-10. (Canceled)

11. (Previously Presented) A resist composition comprising:

(a) a compound comprising an epoxy group and a chalcone group represented by the following formula:



wherein n is an integer from 1 to 10,000 and each of R₁, R₂, R₃, R₄, R₅, R₆, R₇ and R₈ is selected from a group consisting of a hydrogen atom, an alkyl group, an alkoxy group, a halogen atom and a nitro group;

- (b) an acrylate resin;
- (c) a curing agent; and
- (d) an organic solvent.

12. (Original) The resist composition of claim 11, wherein the resist composition includes about 5 to about 35 parts by weight of the compound, about 0.01 to about 5 parts by weight of the curing agent, and about 60 to about 90 by weight of the organic solvent.

13. (Original) The resist composition of claim 11, wherein the organic solvent is propylene glycol monomethyl ether acetate, ethyl ethoxy acetate, or cyclohexanone.

14. (Canceled)

15. (Previously Presented) The resist composition of claim 11, wherein the resist composition includes about 5 to about 35 parts by weight of a combination of the acrylate resin and the compound, about 0.01 to about 5 parts by weight of the curing agent, and about 60 to about 90 by weight of the organic solvent.

16. (Previously Presented) The resist composition of claim 11, further comprising a pigment, wherein the pigment is dissolved in a solvent.

17. (Previously Presented) The resist composition of claim 16, further comprising a dispersant for dispersing the pigment in the photoresist composition.

18. (Previously Presented) The resist composition of claim 11, further comprising a photo-initiator.

19. (Original) The resist composition of claim 18, wherein the photo-initiator is benzl dimethyl ketal, diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide, or bis(trichloromethyl)-s-triazine derivative.

20. (Canceled)

21. (Original) The resist composition according to claim 11, wherein the compound has a weight average molecular weight of about 800 to about 20,000.

22. (Original) The resist composition according to claim 16, wherein the pigment is a red, blue, green, yellow, or violet pigment.

23. (Original) The resist composition according to claim 11, wherein the curing agent is a dipentaerithritol hexaacrylate or a trimethylolpropane trimethacrylate.